EFS-Web Receipt date: 03/28/200

				WTATE!			2	HEET _	1 OF 13
			N DISCLOSI BY APPLICA	URE	ATTY. DOCKET NO. 061282-0234	SERIAL NO. 10/574,863			
			·		APPLICANT Yuichiro SASAKI,	et al.			
	(Subs	stitute	for form 1449/PTO)		FILING DATE April 06, 2006	GROUP 2823			
			U	.S. PATEN	T DOCUMENTS				
						Lines, Where es or Relevant appear			
		us	5,561,072	10-01-1996	SAITO				
		US	6,465,727 B2	10-15-2002	MARUYAMA et al.				
		US	6,653,699	11-2003	YANG, JEONG-HWAI	٧			
		US	2005/0227463	10-2005	ITO et al.		ļ		
	<u> </u>	US	6,713,819 B1	03/30/2004	En et al.	_	L		
EXAMINER'S	Т	For	reign Patent Document	Publication Date		Pages, C	'olumne	T.	anslation
INITIALS	CITE NO.	1	ntry Codes-Number 4-Kind Codes (if known)	MM-DD-YYYY	Cited Document	Lines \ Relevant App	Mhere Figures	Yes	No
			JP 9-199719	07-31-1997	TOSHIBA CORP		·		
			JP 5-206045	08-13-1993	HITACHI LTD				-
			JP 58-97863	06-10-1983	TOSHIBA CORP				
			WO 98/34268	08-06-1998	ULTRATECH STEPPER INC	<u>_</u>			
			JP 6-310533	11-04-1994	FUJITSU LTD				
·		,			or, Title, Date, Pertinent Pages, Etc.)			-	
EXAMINER'S INITIALS	CITE NO.	journa publis	al, serial, symposium, cata shed.	alog, etc.), date, p	(S), title of the article (when approprial age(s), volume-issue number(s), publi	sher, city an	d/or count	ry where	
	<u> </u>				ling to application no. PCT/JP2				I
		bias	sed Plasma Doping",	2000 Symposi	nced performances of sub-0.1 pum on VLSI Technology Digest 110-1111, 2000.	of Techn	ical Pape	ers, IEEE, ¡	pp.
					ing Gas Source for Ultra Shallo Applied Physics, 2000.				
				er-transform in	ng rapid vapor-phase doping a frared-attenuated total reflectio ogy A 16 (1), pp. 1-5, Jan/Feb 1	n", Journ			
				Technol	ng using Gas Source for Ultra S ogy No. 39, pp. 9-11, June 2002				
		Y			at Room Temperature", Extend Junction Technology, pp. 39-40		cts of Int	ernational	
				Technology Di	vith " <i>In-situ</i> He Pre-amorphizati gest of Technical Papers, pp. 1	80-181.			<u> </u>
		Ch	inese Office Action is		sponding Chinese Patent Appli mailed March 30, 2007.	cation No.	CN 2004	180004634	9,
/Phillip G	ireen/	EXA	AMINER	ļ	DA' 06/26/2008	TE CONSID	ERED		

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

			<u> </u>					SHEET 20	JF <u>13</u>
			N DISCLOS		ATTY. DOCKET NO. 061282-0234	I	RIAL NO /574,8		
					APPLICANT Yuichiro SASAI	KI, et al.			
	(Subs	titute	for form 1449/PTO)		FILING DATE April 06, 2006	GR 28	OUP 23		
			U	.S. PATEN	T DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Nu	Document Number mber-Kind Code2 (Il known)	de2 ((known) MM-DD-YYYY Document Relevant		es, Columns, Line vant Passages or Figures Appea	Relevant		
		ÜS	2006/0205192	09/2006	Walther et al.				
		US	5,969,398	10/1999	Murakami				
		US	6,051,482	04/2000	Yang				
50000000000000000000000000000000000000		us	5,897,346	04/1999	Yamaguchi et a	il. 	ļ		
	505000000000000000000000000000000000000	US					ļ	WARREST CONTROL OF THE PARTY OF	SOCIO CAROLINA CAROLI
·- ·· ·- · ·- ·- ·- ·- ·- ·- ·- ·- ·- ·-		US	060000000000000000000000000000000000000				CONTRACTOR	100000000	
		US		e e e e e e e e e e e e e e e e e e e		965560000000000000000000000000000000000	<u> </u>		
 		υs	·-·· - · · - ·	THE PROPERTY OF THE PROPERTY O	Date and the second sec				
		US		**************************************	Strippo-occionospospospospospospospospospospospospospo				
		US	THE PARTY OF THE P	50000	***************************************	70000000000000000000000000000000000000			
		US	SSC(SC(SC(SC(SC(SC(SC(SC(SC(SC(SC(SC(SC(·			000000000000000000000000000000000000000	200m	
THE STREET STREET, STR	SOCIOLOGICA	บร บร							SONO CONTRACTOR OF THE PARTY OF
900000000000000000000000000000000000000		03		FOREIGN PA	TENT DOCUMENTS		<u> </u>		
EXAMINER'S		Fo	reign Patent Document	Publication Date		Pages, Colum	ins, Lines	Transla	ition
INITIALS	CITE NO.	Cou	Intry Codes -Number 4 -Kind Codes (if known)	MM-DD-YYYY	Applicant of Cited Document	Where Re Figures A	levant	Yes	No
100001000000000000000000000000000000000			JP 9-17867	01/17/1997	NKK Corp.				X
***************************************	OOGUSTOOUS NOOS NOOS NOOS NOOS NOOS NOOS NOOS	Macausacon	A0000000000000000000000000000000000000				3005F9066889085900	CHICODE STOCKE S	
	-		***************************************	20002250000500000000000000000000000000	000 000 000 000 000 000 000 000 000 00				
			-0000000000000000000000000000000000000	000000000000000000000000000000000000000		99800000000000000000000000000000000000			
52006990088906699008890659908880	557200055F0065529905	30000123000				1	00000000000000000000000000000000000000	20000000000000000000000000000000000000	205000000000000000000000000000000000000
			OTHER A	RT (Including Auth	or, Title, Date, Pertinent Pages, E	tc.)		· ·	
EXAMINER'S INITIALS	CITE NO.	journ	ude name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, nal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where ished.						
	***************************************	**********	***************************************		+Application Serial No. 44/453 ₁ 5			***************************************	
	00000000000000000	US Rationt Application Social No. 11810-667							
		ITO, T., et al., "Improvement of Threshold Voltage Roll-off by Ultra-shallow Junction Formed by Flash Lamp Annealing", 2003, Symposium on VLSI Technology Digest of Technical Papers.							
/Phillip Gre	 en/	EX	AMINER		06/26/2008	DATE CONSID	ERED		1

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SHEET 3 OF 13

		TION DISCLOSI ENT BY APPLICA	-· ·-	ATTY. DOCKET NO. 061282-0234	SERIAL NO. Serial No. 10/574,863			
			APPLICANT Yuichiro SASAKI,	APPLICANT Yuichiro SASAKI, et al.				
:	(Substitute for form 1449/PTO)			FILING DATE April 6, 2006	1	GROUP 2823		
		U	.S. PATEN	T DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 (# known)	Publication Date MM-DD-YYYY	Document Relevant Passages		Pages, Columns, Lines Relevant Passages or I Figures Appear	or Relevant	
	50000000000000000	OTHER A	PT (lockeding Auth	or Title Date Pertinent Pages Etc.)	000000000000000000000000000000000000000		000000000000000000000000000000000000000	
EXAMINER'S INITIALS	CITE NO.	OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.) Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.						
		YAMASHITA, F., et al., "Di	rect Joule Heating	of Nd-Fe-B Based Melt-Spun Pow	der and Zin	c Binder", 1999, IEEE.		
		<u> </u>	September 19	a Doping: Progress and potential", 99, pages 55-60, www.solid-state.co	om.		_	
			1999, pa	ping: Progress and potential", SOL ges 77-82, www.solid-state.com.				
			1	oward 50 nm Region – Performance 999, pages 641-644, IEEE.				
		TEC	HNOLOGY, 2001,	n and depth profile in BF₃ plasma d pages 146-150, vol. 136, Elsevier S	cience B.V.	,		
		Compacting Press with I	on-implanted Pur	shaped Bonded Magnets for Small aches", J. MGN. SOC. JAPAN, 2001	pages 683	-686, Vol. 25 No. 4-2.		
		and an Iron-Du	st Core", TRANS	Rotor Composed of a Highly Dens MAGN. SOC. JAPAN., 2002, pages	111-114, V	ol. 2 No. 3.		
	00000000000000000000000000000000000000	MIZHNOvBrightererenen		- 50NM-CMQS - The role of Alasma ric Junction Technologies Inc.		MATURE PROPERTY OF THE PROPERT	***********	
			sma Doping with	In-situ He Pre-amorphization"", SY NICAL PAPERS, 2004, pages 180-18		ON VLSI TECHNOLOGY	· · · · · · ·	
		SASAKI, Y., et al., "Plasma		unction Formation", MATSUSHITA pages 404-409, Vol. 50 No. 6.	TECHNICA	L JOURNAL, December		
				tral B₂H₅ Gas Phase on Plasma Pre CIETY OF APPLIED PHYSICS, 2005				
		MIZUNO, B., et al., "De-Exci Hole", JOURNAL OF	tation Pathways of THE PHYSICAL S	f highly-Excited Self-Trapped Excit OCIETY OF JAPAN, June 1983, pag	on and Ele jes 1901-19	ctron Plus Self-Trapped 003, Vol. 52 No. 6.		
MIZUNO, B., "Excitation-Induced Atomic Motion of Self-Trapped Excitons in RbCI: Formation", JOURNAL OF THE PHYSICAL SOCIETY OF JAPAN, September 1986, page						258-3271, Vol. 55 No. 9.		
	MIZUNO. B., et al., "Effect of Hydrogen on Oxygen Removal from Silicon-Overlayer on Insulator formed by O* Implantation", pages 637-640, Semiconductor Research Center, Matsushita Electric Industrial Co., Ltd.							
		FUJITA, T., et al., "Electron JOURNAL	Paramagnetic Re OF APPLIED PH	sonance Studles of Defects in Oxy YSICS, July 1987, pages L1116-L11	gen-Implan 18, Vol. 26	ited Silicon", JAANESE No. 7.		
/Phillip	Green/	EXAMINER		06/26/2008	E CONSID	ERED		

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

				<u> </u>		<u> </u>	<u>15 17</u>
		TION DISCLOS		ATTY. DOCKET NO. 061282-0234	SERIAL NO. Serial No. 10/574,863		
				APPLICANT Yuichiro SASAKI, et	t al.		
	(Subs	stitute for form 1449/PTO)		FILING DATE April 6, 2006	GROUP 2823		
		T	T DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 ((1 known)	Publication Date MM-DD-YYYY				Relevant
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	000000000000000000000000000000000000000		0,0000000000000000000000000000000000000	200003200000000000000000000000000000000	0000000000000		.00000000000000000000000000000000000000
		OTHER A	RT (Including Auth	nor, Title, Date, Pertinent Pages, Etc.)			
EXAMINER'S INITIALS	CITE NO.	Include name of the author (in	CAPITAL LETTER	RS), title of the article (when appropriate), tage(s), volume-issue number(s), publisher	itle of the	e item (book, magazine, d/or country where	
		A	APPL. PHYS., Sept	ygen from Si layer on burned oxide by tember 1987, pages 2566-2568, Vol. 62 N	No. 6.		
				for subhalf micron trench sidewalls by ovember 1988, pages 2059-2061, Vol. 5 Physics.			
				Secondary Defects in MeV ion Impalted FERENCE ON SOLID STATE DEVICES A pages 177-180.			
			and Rapid Therm	Shallow Source/Drain Junctions Fabric nal Annealing", 1994, pages 485-488, IEI	DM.	,	
		Concept of Sub-0.1 µm M	IOS Devices- ", TE	stics of a Room Temeprature 0.05 µm-C ECHNICAL REPORT OF IEICE, 1995, pag RMATION AND COMMUNICATION ENG	ges 41-4	6, THE INSTITUTE OF	
				n", SURFACE AND COATINGS TECHNO 85, Elsevier Science S.A.		., •	
		SYMPOSIUM ON VLSI TE	ECHNOLOGY DIG	n for Fabricating the Surface Channel S SEST OF TECHNICAL DIGEST OF TECH	NICÁL P	PAPERS, 1996, IEEE.	
		processes", NUCLEAR IN	ISTRUMENTS AND	for a high concentration profile product D METHODS IN PHYSICS RESEARCH, 1 Elsevier Science B.V.	1997, pa	ges 288-290, Vol. 121,	
		Region", JP	PN. J. APPL. PHYS	tation Induced Oxide Charging by Utiliz S., March 1997, pages 1618-1621, Vol. 36	6 Part 1,	No. 3B.	
				65-170, Central Research Laboratory, M Ltd.			
	<u> </u>	method", EEP-Vol. 19-1, A	ADVANCES IN ELI	gn Of At-Cut Quartz Resonators by thre ECTRONIC PACKAGING, 1997, pages 1	101-110	98, Vol. 1, ASME 1997.	
	<u> </u>	199	97, pages 345-950	sma-Less Doping of Semiconductor", M), Vol. 438, MATERIALS RESEARCH SO	CIETY.	<u>, , , , , , , , , , , , , , , , , , , </u>	
	TAKASE, M., et al, "New Doping Technology-Plasma Doping – for Next Generation CMOS process with Ultra Shallow Junction – LSI Yield and surface contamination issues -", 1997, pabes B9-B12, IEEE						
·	TAKASE, M., et al., "Shallow Source/Drain Extensions for pMOSFETs with High Activation and Low Process Damage Fabricated by Plasma Doping", IEDM, 1997, pages 475-478, IEEE JIN, C.G., "Hard X-ray Photoelectron spectroscopy (HX-PES) study on chemical binding states of ultra shallow						
	<u> </u>			olication of advanced ULSI devices", 20		es 116-119, IEEE.	
/Phillip Gre	een/	EXMINER		06/26/2008	ONSIDE	INED	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

						SHEET_	<u>5</u> OF <u>1</u>
		TION DISCLOSI		ATTY. DOCKET NO. 061282-0234	SERIAL NO. Serial No. 10/574,863		
				APPLICANT Yuichiro SASAKI, 6	et al.		
(Substitute for form 1449/PTO)			FILING DATE April 6, 2006		GROUP 2823		
U.S. PATENT				T DOCUMENTS			
EXAMINER'S INITIALS	CITE NO.	CITE Document Number Publication Date Name of Patentee or Applicant of Cited Page		Pages, Columns, Lines Relevant Passages or I Figures Appear	Relevant		
000000000000000000000000000000000000000	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	00000	00000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000
	•	OTHER A	RT (Including Auth	or, Title, Date, Pertinent Pages, Etc.)		*	
EXAMINER'S INITIALS	CITE NO.			S), title of the article (when appropriate) age(s), volume-issue number(s), publish			
		Formation", 13TH IEEE Inter	national Confere	Subsequent Rapid Thermal Processing nce on Advanced Thermal Processing IEEE	of Semi		
				Plasma Doping", 2004, pages 423-42	•		
		Junction	Technology, 20	oom Temperature", Extended Abstrac 02, pages 39-40, Japan Society of App	lied Phy	sics.	
		Junction	Technology, 20	Doping System", Extended Abstract 02, pages 37-38, Japan Society of App	lied Phy	sics.	
		s	pectroscopic Elli	w Plasma Doping (PD) Layer's Optical Absorption Properties by ometry (SE)", 2004, Pages 102-103, IEEE.			
		22nd (1990 Internation	al) Conference o	tion by Multiple MeV Boron Ion Implar n solid State Devices and Materials, S	endai, 19	90, pages 449-452.	
		Metho	ds in Physics Re	oping with in-situ Helium pre-amorphi search B 237, 2005, pages 41-45, ELS	EVIER B	.V.	
		(ASLA) with selective absor	ption modulation p	on by plasma doping (PD) and long pi ", Nuclear instruments and Methods ages 58-61, ELSEVIER B.V.	in Physic	s Research B 237, 2005,	
		MIZUNO, B., et al., "Plasma Channel PMOSFET and Sol	lid Plasma Sourc	ma-Less Doping for SI: Application to e Application for Safety Operation", S shita Electric Industrial Co., Ltd.	the sub- emicond	-quarter micron Surface uctor Research Center,	
				urce Implantation Method for Ultra-Sh asma-Aided Manufacturing, University			
				Wall of a Sub-0.5 µm Width Trench", Devices and Materials, Tokyo, 1987, [
	,	MIZUNO, B., "Pla	sma Doping Tec	hnology", Applied Physics, 2001, pag	es 1458-	1462, Vol. 70.	
TAKASE, M., et al., "Shallow Source/Drain Extensions for pMOSFETs with High Activation and Low Process Damage Fabricated by Plasma Doping", TECHNICAL REPORT OF IEICE, 1998, The Institute of Electronics, Information and Communication Engineers.							
MIZUNO, et al., "Ultralow Energy Doping Plasma Doping", Special Issue – Currently Developed Ion Engineering Technology-1.							
		MIZUNO, B., et al., "Plasm		antation – Plasma Doping", High Tem , pages 114-120, Vol. 3 No. 22.	perature	Science Journal, May	
/Phillip Gre	een/	EXAMINER		06/26/2008	CONSID	ERED	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

						SHEET <u>(</u>	<u>6 OF 1</u>	
		TION DISCLOSI		ATTY. DOCKET NO. 061282-0234		SERIAL NO. Serial No. 10/574,863		
				APPLICANT Yuichiro SASAKI, 6	et al.			
	(Substitute for form 1449/PTO)			FILING DATE April 6, 2006		GROUP 2823		
U.S. PATENT DOCUMENTS					,			
EXAMINER'S INITIALS	NO.	Document Number Number-Kind Code2 (It known)	Publication Dat MM-DD-YYYY	Document Relevant Passage		Pages, Columns, Lines Relevant Passages or F Figures Appear	assages or Relevant	
000000000000000000000000000000000000000			000000000000000000000000000000000000000	000000			000000000000000000000000000000000000000	
	_	OTHER A	RT (Including Auth	or, Title, Date, Pertinent Pages, Etc.)		•		
EXAMINER'S INITIALS	CITE NO.	Include name of the author (in journal, serial, symposium, cata published.	CAPITAL LETTER alog, etc.), date, pa	S), title of the article (when appropriate) age(s), volume-issue number(s), publish	title of ther, city an	e item (book, magazine, d/or country where		
		TATSUMI, T., et al., "Multile		on Technology using Fluorinated Am Research Laboratories, NEC Corpora		Carbon films", 3p-ZX-3,		
		MIZUNO. B., et al., "Plasma o	doping for fabrica	ating ultra shallow junction, 3p-ZX-4, f Ltd.	/latsushi	ta Electric Industrial Co.,		
		Series – Lecture M	lanuscripts, Com	nology in CMOS Transistors", 27a-ZL- prehensive Lectures within the Area,	2002, To	kai University.		
		MIZUNO, B., et al., "Junct	ion Technologies	Status Quo and Perspectives", 27a- within the Area.	ZL-2, Coı	nprehensive Lectures		
		Suppression", 26p-M-19, (3rd Applied Phy	Dielectrics by Z-ray Scattering- Anisosics Lecture Series – Lecture Manusc	ripts, 200	02, Niigaka University.		
				thin low-k film during anneal – Ex-sit M-20.				
			•	Current Monitor for Ion Implanter",				
			- Lecture N	a Assisted Gas Doping", 25a-G-2, 63r lanuscripts, 2002, Niigaka University.				
		KUROSAWA, J., et al., "Deve by single ion implantation	elopment of Ni-B- ", 25a-G-3, 63rd	P-Pt type liquid metal lon source for f Applied Physics Lecture Series – Lect University.	ormation ure Manı	of Ni-nano dopant array uscripts, 2002, Niigaka		
				ey-techniques for co-doping of accep sics Lecture Series – Lecture Manusc				
				Lamp Annealer for 300mm Wafers", ture Manuscripts, 2003, Shinagawa Ui				
		KUBO, Y., et al., "Developme		ngle ion implantor", 29p-ZW-11, 50th A uscripts, 2003, Shinagawa University		hysiscs Lecture Series –		
				se Doping at Room Temperature" 29p ture Manuscripts, 2003, Shinagawa Ui			<u>,</u>	
	AKAMA, S., et al., "The Surface Reaction mechanism of Gas Phase Doping at Room Temperature", 29p-ZW-13, 50th Applied Physiscs Lecture Series – Lecture Manuscripts, 2003, Shinagawa University.							
				nination in the Plasma Doping (PD) pr - Lecture Manuscripts, 2003, Shinagav				
				ion Formation by Heat-assisted Excin eries – Lecture Manuscripts, 2003, Sh				
/Phillip Gr	reen/	EXAMINER		06/26/2008 DATE	CONSID	ERED		

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

					_	SHEET <u>7</u> OF <u>1</u>			
		TION DISCLOSE		ATTY. DOCKET NO. 061282-0234	SERIAL NO. Serial No. 10/574,863				
				APPLICANT Yuichiro SASAKI, e	t al.				
	(Subs	stitute for form 1449/PTO)		FILING DATE April 6, 2006	GRC 282				
		U	S. PATEN	T DOCUMENTS					
EXAMINER'S INITIALS	S CITE Document Number Publication Date NO. NO. Number-Kind Code2 (if known) MM-DD-YYYY		Name of Patentee or Applicant of C Document	Name of Patentee or Applicant of Cited Pages, Columns, Line					
	1	US							
			, •	or, Title, Date, Pertinent Pages, Etc.)					
EXAMINER'S INITIALS	CITE NO.		nclude name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, ournal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.						
		Coincidence Doppler Bro	FUJINAMI, M., et al., "Research in Pores and Oxygen Compound Deficits in Si Due to the Positron Annihilation Coincidence Doppler Broadening Methods for Vacancy-Oxygen Complexes in Si", 1a-A-8, 64th Applied Physics Lecture Series – Lecture Manuscripts, 2003, Fukuoka University.						
			ced by noble gas	eficits in Noble Gas Ion Implanted SI U implanted Si", 1a-A-9, 64th Applied Ph ripts, 2003, Fukuoka University.					
		Preprocessing, Effects of s	substrate surface c	strate Surface conditions with Gas Dop condition on gas-phase doping using beries – Lecture Manuscripts, 2003, Fu	plasma į	pretreatment", 1a-A-10,			
			Society of Applie	ntation in Si II", 30p-ZQ-9, Preprints of d Physics, 2006, Ritsumeikan Univers	ity.				
		Boron", 30p-ZQ-10, Prep	rints of the 67th M	inges in Chemical Bondings and Their leeting of the Japan Society of Applied University.	l Physic	s, 2006, Ritsumeikan			
		30p-ZQ-11, Preprints of the	e 67th Meeting of t	allow Junction Formation by Double-P the Japan Society of Applied Physics,	2006, Ri	itsumeikan University.			
		Deposition", 29p-SM-1, Prep	orints of the 54th M 2007	stic Substrate by Atomic Hydrogen An leeting of the Japan Society of Applied , Aoyama Gakuin University.	d Physic	s and Related Societies,			
		29p-SM-2, Preprints of th	ne 54th Meeting of Ac	on Chemical Activity of Defects in Pol the Japan Society of Applied Physics oyama Gakuin University.	and Rel	ated Societies, 2007,			
		Doping Method", 29p-SM	-3, Preprints of the Societies,	oron Depth Profiles and Ultra-Shallow 5 54th Meeting of the Japan Society of 2007, Aoyama Gakuin University.	Applied	Physics and Related			
				gy Ion Implated Silicon Subjected to T					
	<u> </u>			ct Reduction of Multiple MeV Ion Impla	•				
			Heavy-lo	ation and Amorphization Mechanism of Beam Irradiation", 27a-SN-15.					
	<u> </u>			Pre-oxidation Cleaning on Grotwh of O					
	—			ning methods on Dielectric Breakdowr		-			
	Ь	<u> </u>	, " Electrical Char	acteristics of AI MOS Diode Contamin		· ·			
/Phillip Gre	∍en/	EXAMINER		06/26/2008 DATE C	CONSIDE	ERED			

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SHEET <u>8</u> OF <u>13</u>

		TION DISCLOSE NT BY APPLICA		ATTY. DOCKET NO. 061282-0234	Serial No. 10/574,863			
				APPLICANT Yuichiro SASAKI, et al.				
(Substitute for form 1449/PTO)			FILING DATE April 6, 2006					
		U	.S. PATEN	T DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 (Il known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Document	Cited	Pages, Columns, Lines Relevant Passages or F Figures Appear	Relevant	
		US						
		OTHER A	RT (Including Author	or, Title, Date, Pertinent Pages, Etc.)				
EXAMINER'S INITIALS	CITE NO.	journal, serial, symposium, cata published.	alog, etc.), date, pa	S), title of the article (when appropriate), ge(s), volume-issue number(s), publishe	r, city an	d/or country where		
	!			ct Reduction of Multiple MeV Ion Imp				
			•	I Annealing for High-energy Ion Impla		.1		
			_ ·	Al Annealing for High-energy Ion Impla		` . '		
	ļ	1		rphization by si Double Ion Implantat				
		1		eal Effect by Photoacoustic Displace		* * *		
		Shimizo, N., et al., Ellects	OI JUIICUOII LEAKA	9p-C-14.	igii Ellei	gy 31 lon implantation ,		
		KATSUMOTO, M., et al., "Th	ne Effect of NH40	1/H202 Cleaning on C-V Characteristic	s of MO	S Capacitor", 11p-B-12.		
	ĺ	SHINNO, H., "Ellipsome	tric Measurement	s of Silicon Surfaces During Oxidatio	n in R.F.	Plasma", 11p-B-13.		
		J		ect of H2SO4 Boiling on Silicon Surfac				
		1		a-assisted Impurity Doping for ULSIs	•			
				Matrial Processing Induced by Electro		<u> </u>		
		Institute of Electronics, i	Information and C	nent System for VLSI Manufacturing, communications Engineers, Matsushi	a Electri	c Industrial Co., Ltd.		
				Annealing of Ar* Implanted Damage"	-			
				rties of High Energy Boron-implanted				
		SHIMIZU, N., et al., "E	ffects of n+ Layer	Formation on Junction Leakage Curr Implantation", 30p-ZK-4.	ent Usin	g High Energy Ion		
/Phillip Gre	en/	EXAMINER		06/26/2008	CONSID	ERED		

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SHEET <u>9</u> OF <u>13</u>

		TION DISCLOSU ENT BY APPLICA		ATTY. DOCKET NO. 061282-0234		rial No. 10/574,80	63	
				APPLICANT Yuichiro SASAKI, et al.				
(Substitute for form 1449/PTO)				FILING DATE April 6, 2006	GRC 282			
		U	.S. PATENT	DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of C Document	ited	Pages, Columns, Lines, N Relevant Passages or Re Figures Appear		
000000000000000000000000000000000000000			000000000000000000000000000000000000000		100000000000	000000000000000000000000000000000000000	000000000000000000	
				, Title, Date, Pertinent Pages, Etc.)				
EXAMINER'S INITIALS	CITE NO.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.						
				hange of Silicon in Low Energy Ion Im				
				ct During the Ion Implantation with Lo				
				arging During Ion Implantation on Dev		1		
		MURAKOSHI, A., et al., " For		allow Diffusion Layer by Ultra Low End 10.	0,	n Implantation", 26p-ZN-		
				, "Plasma Doping Method", 26p-ZN-11				
	<u> </u>	,		ra Shallow Junction by Spin-on Glass		-		
			•	s Ion Bombardment Damage of Si Sur			·	
	<u> </u>	<u> </u>		n concentration Profile for Low Energy				
			atoms imp	ously Implanted As+ ions on diffusivit planted into silicon", 26p-ZP-8.		·		
				nique for power devices using high-en P-6.	•			
				egion of Ion Implantation Induced Phy				
				e minority carrier lifetime for the Si ep		•		
		1		mperature Vapor Phase Doping (RTV				
				oping Applicable to sub-1/4 micron PN			<u></u>	
		KUJIRAI, H., et al., "Ultra-sh	allow, low resistant	ce junction formation by solid-phase 28p-P-6.	diffusio	on of boron from BSG",		
/Phillip Gr	een/	EXAMINER		DATE C 06/26/2008	ONSIDI	ERED		

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SHEET 10 OF 13

	•	TION DISCLOSI	-	ATTY. DOCKET NO. 061282-0234	1 020	rial No. 10/574,8	363
		•		APPLICANT Yuichiro SASAKI,	et al.		
	(Sub	stitute for form 1449/PTO)		FILING DATE GROUP April 6, 2006 2823			
		U	.S. PATENT	DOCUMENTS			
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 (it known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant o Document	f Cited	Pages, Columns, Lines Relevant Passages or F Figures Appear	Relevant
000000000000000000000000000000000000000	000000000000000000000000000000000000000	00000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000
		OTHER A	RT (Including Author,	Title, Date, Pertinent Pages, Etc.)			
EXAMINER'S INITIALS	and the state of t						
<u>.</u>		TAKASE, M., et a	I., "Dosage Control	by Plasma Emission in Plasma Do	ping Proc	ess", 7a-P-2.	
		MURAKAMI, E., et al., "	Formation of Ultras	hallow Junctions by Sb Selective	Doping '	Technique", 7a-P-3.	
	ļ			uring Rapid Vapor-phase Doping A			
		TAKASE, M., et al., "Fabrica	ation of Low Sheet F	Resistance and Shallow Source/Dra Process", 29a-G-2.	in Juncti	on with Plasma Doping	
		SHIMADA, N., et al.,	"Shallow Junction,	Formation by Polyatomic Cluster Id	on Implan	tation", 29a-G-3.	
			<u> </u>	shallow junctions by low-energy in	•	·	
				Formation by Decaborane Ion Imp			
	<u> </u>			formation by 0.2 keV-single B Ion In			
				ow Source/Drain Junction Fabricat the Herzog correction revisited", 7a		sma Doping", 3a-PC-15.	
	}	<u> </u>		measuring device using a SQUID fo		ensity beams" 7a-YP-9	
			gh resolution meas	urement of HeH* dissociative recor		•	
	 	TSURUBUCHI, S., et al., "Exc		ons for the resonance states of the	Ne by ele	ctron impact", 7a-YP-11.	
		WAKABAYASHI, et al., "IEDN technique	Focusing on high for practical applic	speed and low electric power techi ations has arrived", IEDM Conferer	niques , F ace, 1997,	inally the Cu damascene IEEE.	
•				n Analysis System", The Institute of EICE) Electronics Society Annual I			
/Phillip G	reen/	EXAMINER		DATE 06/26/2008	CONSID	ERED	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SHEET 11 OF 13

					SHEET _	<u>11</u> OF <u>1</u> .		
		TION DISCLOSE		ATTY. DOCKET NO. 061282-0234	SERIAL NO. Serial No. 10/574,	B63		
				APPLICANT Yuichiro SASAKI, et al.				
	(Subs	stitute for form 1449/PTO)		FILING DATE GROUP April 6, 2006 2823				
-		U	S. PATENI	Γ DOCUMENTS	,			
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of C Document	Cited Pages, Columns, Lines Relevant Passages or Figures Appea	Relevant		
		OTHER A	RT (Including Author	r, Title, Date, Pertinent Pages, Etc.)	I			
EXAMINER'S INITIALS	CITE NO.			 i), title of the article (when appropriate), t je(s), volume-issue number(s), publisher 				
				m P-doped Polysilicon through Ultrati ZP-11.	• •			
	ļ.			on Dioxide in the Presence of Hydrog	• •			
	—	TAKASE, M., et al., "En		ness on boron profile in the plasma do ., "Plasma Doping", Invitational Lectu		<u> </u>		
	 	TAKASE. M., et al., "Plas		logy for the MOS transistor with a cha		 		
	<u> </u>		Applied	d Physics, 1999, Vol. 68 No. 5.				
			·	e Beam Current Monitor Using DC SQ	.,,			
			of the Japan Socie	asma Doping for Beam-Channel Trans ety of Applied Physics and Related Sc niversity of Technology.				
		the 51st Spring meeting	of the Japan Socie Ui	ent on dose of Impurity after plasma d ety of Applied Physics and Related So niversity of Technology.	ocieties, March 2004, Tokyo			
		the 51st Spring meeting	of the Japan Socie Ur	plasma treatment in plasma doping me ety of Applied Physics and Related Sc niversity of Technology.	ocieties, March 2004, Tokyo			
		OKASHITA, K., et al., "In-situ 65th Meeting of the Japar	Plasma Pre-amorp n Society of Applied	phization for Shallow Junction Format d Physics and Related Societies, Sept University.	ion", 3p-P10-14, Preprints of the tember 2004, Tohoku Gakuin			
			ting of the Japan S	oron/Phosphorus Layer by Cold/Heat ociety of Applied Physics and Related boku Gakuin University.				
		KOBAYASHI, K., et al., "Do 65th Meeting of the Japar	ping Profile Evalua n Society of Applied	ation for Three-Dimensional Transisto d Physics and Related Societies, Sept University.	r", 3p-P10-16, Preprints of the tember 2004, Tohoku Gakuin			
	OTAKAGI, K., et al., "Effect on Impurity profile of Helium Plasma Treatment on a Plasma Doping Method", 65th Japan Society of Applied Physics Symposium Collection of Lectures, September 2004, Tohoku Graduate Department.							
	SAUDDIN, H., et al., "Leakage Current in Mesa-type p+/n, Junctions Formed by Plasma Doping", 10a-A-10, PerPreprints of the 66th Meeting of the Japan Society of Applied Physics, 2005, Tokushima University.							
	<u> </u>	PerPreprints of the 66	6th Meeting of the J	s of ultra-Shallow p+ Layers Formed b Japan Society of Applied Physics, 200	5, Tokushima University.			
	<u> </u>			n Atoms Implanted in A Silicon Surfac Japan Society of Applied Physics, 200				
/Phillip Gi	reen/	EXAMINER		06/26/2008 DATE C	CONSIDERED			

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

					_	SHEET <u>12</u> OF <u>1</u>		
		TION DISCLOS		ATTY. DOCKET NO. 061282-0234 SERIAL NO. Serial No. 10/574,863				
				APPLICANT Yuichiro SASAKI, et al.				
	(Subs	stitute for form 1449/PTO)		FILING DATE April 6, 2006	GROUP 2823			
		U	.S. PATEN	T DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of 6 Document	Cited	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
			` •	or, Title, Date, Pertinent Pages, Etc.)				
EXAMINER'S INITIALS	CITE NO.			S), title of the article (when appropriate), title of the article (when appropriate), ge(s), volume-issue number(s), publisher				
				ct in SI layer on buried oxide by implai				
			Plasma Doping",	SDM 88-95, Semiconductor Research (Matsushita Electric industrial Co., Ltd	Center, S			
		MIZUNO,	B., et al., "ECR Pl	asma Doping", Electronic Material, De	cember	1987.		
				miconductor Research Center, Matsu				
			of Electroni	anroom Auto Control System", 1994 S c information and Communications.				
- ··· · · · · · · · · · · · · · · ·	ļ		<u> </u>	ns Near the Surface – Outer Diffusion Oxidation of Nitrogen Introduced by Id				
			•	ns on Boron Enhanced Diffusion and (Implantation", 28p-ZL3.	•			
		MIZUNO, B., et al., "Behavio	r near Surface of	Implanted Ions (cont'd) Self-sputtering 11.	and Ba	ck-scattering", 20p-ZE-		
		KINOSHITA K., et al., "Optic	al Changes in Ass	ociation with Crystalline Damage due (IV)", 20p-ZE-12.	to Low	Energy Ion Implantation		
		<u> </u>	* : :	Species (B, As) Implantation in Silico	•			
		HF treatment before and aft	er plasma doping ¹ 2	F Cleansing Before and After Plasma ', 1a-A-11, 64th Applied Physics Lectu 003, Fukuoka University.	re Serie	s- Lecture Manuscripts,		
				tation in Polycrystalline SI, High tilt ar lied Physics Lecture Series- Lecture N University.				
			y the stress of sh	Leak Current Caused by Element Isola allow trench isolation", 1p-A-2, 64th A nuscripts, 2003, Fukuoka University.				
				leaning Process after Plasma Doping" on of Lectures, September 2004, Toho				
	MAJIMA, M., et al., "Hall Effect Measurement of ultra Shallow p'n Junctions formed by Plasma Doping", 3p-P10-19, 65th Japan Society of Applied Physics Symposium Collection of Lectures, September 2004, Tohoku Graduate Department.							
	MASUDA, T., et al., "Amorphization of Large-scale Silicon Substrate by using hybrid Quantum Chemical Molecular Dynamics Method", 1a-YE-7, 52nd Japan Society of Applied Physics Symposium Collection of Lectures, 2005, Saitama University.							
		52nd Japan Society	of Applied Physics	norphous layer formation process by l s Symposium Collection of Lectures, 2	005, Sa	tama University.		
				rates with Resist Patterns", 1a-YE-9, 5 ollection of Lectures, 2005, Saltama Ui				
/Phillip Gre	een/	EXAMINER		06/26/2008 DATE C	CONSID	ERED		

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SHEET <u>13</u> OF <u>13</u>

INFORMATION DISCLOSURE STATEMENT BY APPLICANT				ATTY. DOCKET NO. 061282-0234		SERIAL NO. Serial No. 10/574,863		
(Substitute for form 1449/PTO)				APPLICANT Yuichiro SASAKI, et al.				
				FILING DATE April 6, 2006		GROUP 2823		
		U	J.S. PATENT	DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	Document Number Number-Kind Code _{2 (Il known)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant o Document	icant of Cited Pages, Columns, Line Relevant Passages o Figures Appe		Relevant	
		OTHER A	I RT (Including Author	, Title, Date, Pertinent Pages, Etc.)		<u> </u>		
EXAMINER'S INITIALS	CITE NO.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.						
		OKASHITE, K., et al., "Ultra Shallow Junction Formation with Plasma Doping and Spike RTA", 1a-YE-10, 52nd Japan Society of Applied Physics Symposium Collection of Lectures, 2005, Saitama University.						
		SAUDDIN, H., "Leakage Current Characteristics of Ultra-shallow p+/n Junctions Formed by Plasma Doping", 1a-YE- 11, 52nd Japan Society of Applied Physics Symposium Collection of Lectures, 2005, Saitama University.						
		MATSUNO, A., et al., "One Dimensional Thermal Diffusion Simulation for the USJ formation by green laser anneal with absorption layer", 16-YE-1, 52nd Japan Society of Applied Physics Symposium Collection of Lectures, 2005, Saitama University.						
		MIZUNO, B., et al., "ECR Plasma Doping", Matsushita Electric Industrial Co., Ltd.						
		HIGAKI, R., et al., "Effects of gas phase absorption into Si substrates on plasma doping process".						
LENOBLE, D., et al., "Fabrication of 60-nm plasma doped CMOS transistors", 2002, IEEE. SEVERI, S., et al., "Diffusion-less junctions and super halo profiles for PMOS transistors formed by SPER and FU gate in 45nm physical gate length devices", 2004, IEEE.								
/Phillip Green/			DATE CONSIDERED 06/26/2008					

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

WDC99 1538512-1.061282.0234

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.